Search Results -

Terms	Documents
L14 and integrat\$3	0

4.25.4

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database

Database: EPO

L15

JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins

Search:









Search History

DATE: Thursday, April 22, 2004 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
•	PB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=Y	ES; OP=OR	
<u>L15</u>	L14 and integrat\$3	0	<u>L15</u>
<u>L14</u>	L12 and (track\$3 near5 pair\$1)	1	<u>L14</u>
<u>L13</u>	L12 and track\$3	3	<u>L13</u>
<u>L12</u>	L11 not @pd>19991231	3	<u>L12</u>
<u>L11</u>	L10 and profil\$4	14	<u>L11</u>
<u>L10</u>	(L7 or L8 or L9) and (pairwise! same match\$4)	46	<u>L10</u>
<u>L9</u>	705/\$.ccls.	26472	<u>L9</u>
<u>L8</u>	709/\$.ccls.	28088	<u>L8</u>
<u>L7</u>	707/\$.ccls.	20052	<u>L7</u>
<u>L6</u>	L5 and (pairwise! and match\$4 and profil\$5)	5	<u>L6</u>
<u>L5</u>	707/5.ccls.	1349	<u>L5</u>
<u>L4</u>	"match-maker"	12	<u>L4</u>
<u>L3</u>	L2 and profil\$4	191	<u>L3</u>
<u>L2</u>	matchmaker\$2 and pairwise!	208	<u>L2</u>



<u>L1</u> ("match-maker") and pairwise!

0 <u>L1</u>


Search Results -

Terms	Documents
L7 and (relationship same (data near structur\$3))	2

132/2 4-22.4 US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:











Search History

DATE: Thursday, April 22, 2004 Printable Copy Create Case

Set Name side by side		Hit Count	Set Name result set
DB=PC	GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR = YES; GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR = YES; GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR = YES; GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR = YES; GPB, USPT, USOC, EPAB, USPT, USP	OP = OR	
<u>L9</u>	L7 and (relationship same (data near structur\$3))	2	<u>L9</u>
<u>L8</u>	L7 and (relationship same structur\$3)	9	<u>L8</u>
<u>L7</u>	L6 and (track\$3 same pair\$1)	10	<u>L7</u>
<u>L6</u>	L5 and track\$3	119	<u>L6</u>
<u>L5</u>	L4 and (heterogeneous near3 source\$1)	195	<u>L5</u>
<u>L4</u>	integrat\$3 and relationship\$1 and source\$1	155327	<u>L4</u>
<u>L3</u>	"integrating relationship" and (heterogeneous near3 pair\$1)	0	<u>L3</u>
<u>L2</u>	L1 and (track\$3 near5 pair\$1)	1	<u>L2</u>
<u>L1</u>	"integrating relationship"	14	<u>L1</u>

Search Results -


Terms	Documents
L7 and pairwise!	0


12.4.4 4.5.7.4

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:











Search History

DATE: Thursday, April 22, 2004 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB,	USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR =	YES; $OP = OR$	
<u>L8</u>	L7 and pairwise!	0	<u>L8</u>
<u>L7</u>	L6 and quer\$3	40	<u>L7</u>
<u>L6</u>	L5 and profil\$3	43	<u>L6</u>
<u>L5</u>	L4 and source\$1	45	<u>L5</u>
<u>L4</u>	L2 and (automat\$6 same integrat\$3)	50	<u>L4</u>
<u>L3</u>	L2 and (automat\$ same integrat\$3)	49	<u>L3</u>
<u>L2</u>	"collaborative filtering"	562	<u>L2</u>
DB = USPT;	PLUR=YES; OP=OR		
<u>L1</u>	6411922.pn.	1	<u>L1</u>

IEEE HOME I SEARCH IEEE | SHOP | WEB ACCOUNT | 1 CONTACT IEEE



Publications/Services Standards Conferences

Welcome **United States Patent and Trademark Office**



<u>Help</u>	FAQ	Ter	ms	IE
Welco	me to	IEEE	Xpte	ores
0	- Home	9		

I Access? O- Log-out

— What Can

Tables of Contents

Journals

- Conference **Proceedings**

& Magazines

EE Peer Review

Quick Links



Your search matched 1 of 1027552 documents. A maximum of 500 results are displayed, 15 to a page, sorted by Relevance **Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or enteri new one in the text box.

automat*<paragraph>integrat*<paragraph>track*<para



☐ Check to search within this result set

Results Key:

JNL = Journal or Magazine CNF = Conference STD = Standard

Search

O- By Author

O- Standards

O- Basic

O- Advanced

Member Services

O- Establish IEEE Web Account

Access the **IEEE Member Digital Library**

1 An automatic matching strategy for INSAR data

Mingsheng Liao; Li Zhang; Zuxon Zhang; Jiangqing Zhang; Geoscience and Remote Sensing Symposium, 1999. IGARSS '99 Proceedings. 1999 International, Volume: 1, 28 June-2 July 1999 Pages: 488 - 490 vol.1

[Abstract]

[PDF Full-Text (228 KB)] **IEEE CNF**

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | Back to Top

Copyright © 2004 IEEE - All rights reserved

Search Results -

Terms	Documents
L11 and track\$3	1

4.22.4

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L12

Database:

$\overline{\mathbf{v}}$









Search History

DATE: Thursday, April 22, 2004 Printable Copy Create Case

Set Name	Query	Hit Count S	Set Name
side by side			result set
DB=PC	GPB, $USPT$, $USOC$, $EPAB$, $JPAB$, $DWPI$, $TDBD$; $PLUR = YES$; $OP = OB$	R	
<u>L12</u>	L11 and track\$3	1	<u>L12</u>
<u>L11</u>	L1 and automat\$6	7	<u>L11</u>
<u>L10</u>	L7 and (relationship same (data near structur\$3) same automat\$6)	0	<u>L10</u>
<u> L9</u>	L7 and (relationship same (data near structur\$3))	2	<u>L9</u>
<u>L8</u>	L7 and (relationship same structur\$3)	9	<u>L8</u>
<u>L7</u>	L6 and (track\$3 same pair\$1)	10	<u>L7</u>
<u>L6</u>	L5 and track\$3	119	<u>L6</u>
<u>L5</u>	L4 and (heterogeneous near3 source\$1)	195	<u>L5</u>
<u>L4</u>	integrat\$3 and relationship\$1 and source\$1	155327	<u>L4</u>
<u>L3</u>	"integrating relationship" and (heterogeneous near3 pair\$1)	0	<u>L3</u>
<u>L2</u>	L1 and (track\$3 near5 pair\$1)	1	<u>L2</u>
<u>L1</u>	"integrating relationship"	14	<u>L1</u>

Hit List



Search Results - Record(s) 1 through 1 of 1 returned.

☐ 1. Document ID: US 20020178161 A1

Using default format because multiple data bases are involved.

L12: Entry 1 of 1

File: PGPB

Nov 28, 2002

PGPUB-DOCUMENT-NUMBER: 20020178161

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020178161 A1

TITLE: OPTIMIZATION OF SYSTEM PERFORMANCE BASED ON COMMUNICATION RELATIONSHIP

PUBLICATION-DATE: November 28, 2002

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY RULE-47 BREZIN, JONATHAN P. LEONIA NJ US KELLOGG, WENDY ANNE YORKTOWN HEIGHTS NY US LAFF, MARK RICHARD MOUNT KISCO NY US YU, PHILIP SHI-LUNG CHAPPAQUA NY US

US-CL-CURRENT: 707/10

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Drawi D
Clear	I	Genera	ate Col	lection	∗ Print	F	wd Refs	Bkwd	Refs	Gener	ate 0/	VCS++
	Ter	ms					De	ocuments				
	L11	and tra	ck\$3								1	

Display Format: - Change Format

Previous Page Next Page Go to Doc#

ef

Search Results -


Terms	Documents
L7 and (relationship same (data near structur\$3) same automat\$6)	0

4.22.4

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L1	[2]
	52









Search History

DATE: Thursday, April 22, 2004 Printable Copy Create Case

Set Name side by side		Hit Count	Set Name result set
DB=PC	GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=ORTO, SPAR, SPAR	R	
<u>L10</u>	L7 and (relationship same (data near structur\$3) same automat\$6)	0	<u>L10</u>
<u>L9</u>	L7 and (relationship same (data near structur\$3))	2	<u>L9</u>
<u>L8</u>	L7 and (relationship same structur\$3)	9	<u>L8</u>
<u>L7</u>	L6 and (track\$3 same pair\$1)	10	<u>L7</u>
<u>L6</u>	L5 and track\$3	119	<u>L6</u>
<u>L5</u>	L4 and (heterogeneous near3 source\$1)	195	<u>L5</u>
<u>L4</u>	integrat\$3 and relationship\$1 and source\$1	155327	<u>L4</u>
<u>L3</u>	"integrating relationship" and (heterogeneous near3 pair\$1)	0	<u>L3</u>
<u>L2</u>	L1 and (track\$3 near5 pair\$1)	1	<u>L2</u>
L1	"integrating relationship"	14	L1

Search Results -

Terms	Documents
L12 and (track\$3 near5 pair\$1)	1

4.27

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L1

Database:

4	Refine Search







Search History

DATE: Thursday, April 22, 2004 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PG	PB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=Y	ES; OP=OR	
<u>L14</u>	L12 and (track\$3 near5 pair\$1)	1	<u>L14</u>
<u>L13</u>	L12 and track\$3	3	<u>L13</u>
<u>L12</u>	L11 not @pd>19991231	3	<u>L12</u>
<u>L11</u>	L10 and profil\$4	14	<u>L11</u>
<u>L10</u>	(L7 or L8 or L9) and (pairwise! same match\$4)	46	<u>L10</u>
<u>L9</u>	705/\$.ccls.	26472	<u>L9</u>
<u>L8</u>	709/\$.ccls.	28088	<u>L8</u>
<u>L7</u>	707/\$.ccls.	20052	<u>L7</u>
<u>L6</u>	L5 and (pairwise! and match\$4 and profil\$5)	5	<u>L6</u>
<u>L5</u>	707/5.ccls.	1349	<u>L5</u>
<u>L4</u>	"match-maker"	12	<u>L4</u>
<u>L3</u>	L2 and profil\$4	191	<u>L3</u>
<u>L2</u>	matchmaker\$2 and pairwise!	208	<u>L2</u>
<u>L1</u>	("match-maker") and pairwise!	0	<u>L1</u>

END OF SEARCH HISTORY

with the second



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library • C The Guide

(automat*<paragraph>integrat*)<and>(pair<paragraph>sou



Nothing Found

Your search for (automat*<paragraph>integrat*)<and>(pair<paragraph>source) did not return any results.

You may want to try an Advanced Search for additional options.

Please review the Quick Tips below or for more information see the Search Tips.

Quick Tips

• Enter your search terms in <u>lower case</u> with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

 Capitalize <u>proper nouns</u> to search for specific people, places, or products.

John Colter, Netscape Navigator

• Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

 Narrow your searches by using a + if a search term <u>must appear</u> on a page.

museum +art

Exclude pages by using a ~ if a search term <u>must not appear</u> on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.

<u>Terms of Usage Privacy Policy Code of Ethics Contact Us</u>

h

c ge cf c

Useful downloads: Adobe Acrobat Q QuickTime Windows Media Player Real Player